Plus Series

Interactive Flat Panel for Education

As the need grows for more collaborative learning spaces, so does the demand for technology in the classroom. Clevertouch is embracing immersive learning by providing smart digital classroom environments. Our complete classroom solution is easy to use, enables simple installation, and is designed for over 50,000 hours of use. With low maintenance and no ongoing subscriptions, Clevertouch provides a complete all in one solution.



The award winning all-in-one solution for an immersive learning experience



Interactive Product of the Year

AV News Awards 2018 - Winner



Digital **Devices** BETTAwards 2019 - Finalist



Tech & Learning Best in show Tech and Learning 2018 - Winner



Interactive Product of the Year AV Awards 2017 - Winner



Manufacturer of the Year AV Awards 2015 - Winner



Subscription free software to increase student engagement

Our range of software is designed to engage students and simplify the lesson planning process. Share resources with other teachers and make the most of pre-made lesson and activity templates. Both Lynx and Snowflake MultiTeach are designed with input from educators, enabling teachers to seamlessly collate media and resources to produce innovative lessons.



Apps for connected learning

With content in a variety of languages, for all ages and subjects, and with additional resources available to download for free, Clevertouch makes creating exciting lessons simple for teachers. Cleverstore contains hundreds of apps - all free to download, with no adverts or inappropriate content. All of the apps have been tested by our App team to ensure they meet curriculum requirements.



Screen mirroring with built-in teacher controls

Clevershare App is free to download and compatible with Android, Windows, iOS and Chrome devices. Up to 50 devices can connect with the Clevertouch screen and share content - images, video, and audio. The presenter has full control over what is shared, and can show up to 4 device screens simultaneously, increasing student collaboration and participation within every lesson.



Making integration and installation easier

Clevertouch interactive touchscreens are designed to integrate with your current system set up and work with your current software. With remote management tools, increased security and network options, and the most comprehensive warranty on the market, Clevertouch offers long-term savings and increased return on investment.



A natural and fluid writing experience

Our Super Glide Surface technology provides a natural and fluid writing experience, reminiscent of a pen and whiteboard. High precision touch pens are included, to facilitate dual-pen writing with no lag. Erase with your palm. Pinch and pull to zoom. Switch between finger-touch, pen, and dual-pen instantly without needing to alter settings.



Send messages, alerts and media to all of your Clevertouch screens remotely

With the new Clever Message App send dynamic digital signage messages to all, individual or groups of your Clevertouch screens. Your IT department or office can create messages using full-screen, easy to populate templates, produce live-video messages from the school principal, instructions during a fire drill, building maintenance information, daily news and general announcements.

Connecting people with technology



Remote management

Control all your screens from a single device.



Super glide surface

Smooth glass for a fluid writing experience.

Compatible

Compatible with Windows,
Mac OS X, macOS and
Chromebook











High precision touch

Improved stylus recognition and assign colours to multiple pens.



Cloud accounts

Connect instantly to your Google Drive or OneDrive accounts.



Clever Account profile

Access your apps, settings and files from your NFC Key fob.

Clevertouch Features



Fully customisable



Local team with expert knowledge



Comprehensive warranty



20-point touch



Energy efficient



No software subscription fees



4K resolution display



Smart personalised profile



Remote management



OTA (Over the air) updates



Integrated speakers



Powered by Android



LUX user interface



No shadow



Anti-glare glass



HDMI, VGA, RS232 and USB connectivity



High precision touch



Super glide surface

Clever Message



24/7 digital signage


Turn your Clevertouch into an interactive digital signage kiosk.

Branded power-up screen

Get your organisation's daily news when you power-up each day.

Live video streaming

Broadcast live or prerecorded audio and video to your screens.



Instant messaging

Send instant or timed messages to any of your Clevertouch screens remotely.

Alerts

Send important announcements at the touch of a button.

Group your screens

Send messages to groups of Clevertouch displays simultaneously.

Clever Message Features



Remote Management (MDM)

Control multiple Clevertouch devices, wherever they are

The Clevertouch MDM system enables help desks, IT administrators and project leaders to centrally manage and support hundreds of Clevertouch devices, wherever they are. Reaching well beyond the local network boundaries, our Centralised Management System delivers a bird's-eye view of an entire device fleet, enabling administrators to give the best support possible with optimal conditions for decision-making.

Extend your support umbrella, control capabilities and manage Clevertouch screens wherever they are located and operating, both inside and beyond the organisation's network. Manage mission critical and complex IT infrastructures and simplify demanding operation and maintenance work on multiple devices.

Control hundreds of Clevertouch devices remotely

- Create groups to make sure each screen has the most suitable apps and files for where it is used, such as C-Suite, Design Studios, Maths Class, Reception Class, corporate boardroom, huddle room, etc.
- Take control of the Clevertouch screen from your desktop
- Install APKs, policies and files
- Push messages directly to the Clevertouch display, ideal for security announcements
- Anti-theft module Lock, unlock and reset displays
- Restart or shutdown multiple screen/s remotely by a single click
- Wipe the screen
- Run diagnostics

Optionally, Clevertouch MDM can serve as the basis for managing other devices in the organisation (Android, Windows, iOS and Chrome OS) from a single console, such as desktops, laptops, tablets and smartphones.

Instant Updates (OTA)

Updates delivered instantly

The new Over-the-Air technology means that new features, bug fixes, software and hardware updates can be seamlessly delivered to every Clevertouch screen.

With just the click of a button the Clevertouch screen will search for the latest firmware update and install it, giving you instant access to the latest apps and features.

Patch fixes no longer have to be downloaded onto a USB and uploaded manually, giving IT Managers more time and less hassle.



Clevertouch PC Modules






| | i5 PC Module | i7 PC Module |
|--------------------------------|--|--|
| Product Code | 1541041 | 1541042 |
| PC | | |
| Туре | PC Module | PC Module |
| Model | MT21 | MT21 |
| CPU | Intel® Core™ i5 | Intel® Core™ i7 |
| RAM | DDR4 4Gb | DDR4 8Gb |
| SSD | 128Gb | 256Gb |
| Graphics | Integrated Intel® HD Graphics/Independent Graphics | Integrated Intel® HD Graphics/Independent Graphics |
| Chipset | Intel H110 Express | Intel H110 Express |
| Sound Card | Integrated High Definition Audio Stereo | Integrated High Definition Audio Stereo |
| Networking | Integrated 10/100/1000M Adaption | Integrated 10/100/1000M Adaption |
| WIFI | 802.11ac (2.4GHz/5GHz) | 802.11ac (2.4GHz/5GHz) |
| Operation System | Windows 10 Pro installed | Windows 10 Pro installed |
| USB3.0 | 6 | 6 |
| LAN(RJ45) | 1 | 1 |
| VGA Output | 1 | 1 |
| Earphone Output | 1 | 1 |
| Microphone Input | 1 | 1 |
| Display Port | 1 | 1 |
| HDMI Output | 1 | 1 |
| Power | | |
| Power Supply Mode | Internal Power Supply Module | Internal Power Supply Module |
| Power Requirements | 100-240V~ 50/60Hz | 100-240V~ 50/60Hz |
| Max Power | 95W | 95W |
| Standby Power | 1.35W | 1.35W |
| Physical Specs | | |
| Cover Material | SECC | SECC |
| Dimension L x W x H | 246.2 x 265.4 x 32.2mm | 246.2 x 265.4 x 32.2mm |
| Net Weight | 1.9kg | 1.9kg |
| Environmental Condition | ons | |
| Operation Temperature | 0°C - 45°C | 0°C − 45°C |
| Operation Humidity | 10% – 90% | 10% - 90% |
| Storage Temperature | -20°C – 60°C | -20°C - 60°C |
| Storage Humidity | 10% – 90% | 10% - 90% |
| ESD | | |
| Contact Discharge | ±4KV passed level A test(CB)/ ±6KV passed level B test(CB) | ±4KV passed level A test(CB)/ ±6KV passed level B test(CB) |
| Non-contact Discharge | 10% ±8KV passed level A test(CB)/ ±12KV passed level B test(CB) | 10% ±8KV passed level A test(CB)/ ±12KV passed level B test(CB) |


CLEVERTOUCH®

| | 55" | 65" | 75" | 86" |
|---|---|--|---|--|
| Product Code | 15455LUXHP | 15465LUXHP | 15475LUXHP | 15486LUXHP |
| isplay | | | | |
| creen Type | LED | LED | LED | LED |
| Aspect Ratio | 16:09 | 16:09 | 16:09 | 16:09 |
| Resolution | 4K Ultra HD | 4K Ultra HD | 4K Ultra HD | 4K Ultra HD |
| Backlight | D-LED | D-LED | D-LED | D-LED |
| Brightness (cd/m²) | 350 | 350 | 350 | 350 |
| | | | | |
| Response Time | 8ms | 8ms | 8ms | 8ms |
| Audio | 2 x 12W | 2 x 12W | 2 x 12W | 2 x 12W |
| Android | ✓ | ✓ | ✓ | ✓ |
| Glass | Anti Glare | Anti Glare | Anti Glare | Anti Glare |
| Super Glide Surface | ✓ | ✓ | ✓ | ✓ |
| Contrast Ratio | 1200:1 | 1200:1 | 1200:1 | 1200:1 |
| nteractive System | | | | |
| Touch Points | 20 | 20 | 20 | 20 |
| Sensor Type | High Precision IR | High Precision IR | High Precision IR | High Precision IR |
| Minimum Object Size (mm) | 3 | 3 | 3 | 3 |
| Response Time (Touch) | < 15ms | < 15ms | < 15ms | < 15ms |
| Connectivity | < 1311IS | \ 1311IS | ~ 13111S | × 131113 |
| | 4/2/1 | 4/2/1 | 4/2/1 | 4/2/1 |
| JSB 2.0 / 3.0 / Touch | 4/2/1 | 4/2/1 | 4/2/1 | 4/2/1 |
| HDMI 1.4 In / 2.0 in | 0 / 2 | 0/2 | 0 / 2 | 0/2 |
| DisplayPort in | 0 | 0 | 0 | 0 |
| /GA Input | 1 | 1 | 1 | 1 |
| IDMI Out | 1 | 1 | 1 | 1 |
| CVBS (requires a 3.5mm to 3 x | / | ✓ | ✓ | ✓ |
| ohono socket, not included) | | | | |
| PC-Audio | / | ✓ | ✓ | ✓ |
| /GA Output | X | Х | × | Х |
| AN (RJ45) | ✓ | ✓ | ✓ | ✓ |
| RS232 | 1 | ✓ | ✓ | ✓ |
| Android Module Slot | ✓ | · | ✓ | <i>√</i> |
| PC Module Slot | <i>'</i> | <i>'</i> | √ | <i>'</i> |
| Power | , | • | • | · |
| Power | 250W | 300W | 450W | 500W |
| | | | | |
| Power (in standby) | <0.5W | <0.5W | <0.5W | <0.5W |
| EU Energy Rating – Efficiency Class | В | A+ | С | В |
| Physical Specifications | 1210 700 102 / | 4527 042 00 / | 4770 4000 4007 | 2004 4476 00.67 |
| Dimensions W x H x D (mm / ") | 1318 x 789 x 103 / 51 57/64 x 31 1/16 x 4 1/16 | 1537 x 913 x 99 / 60 33/64 x 35 15/16 x 3 57/64 | 1779 x 1032 x 100 / 70 3/64 x 40 5/8 x 3 15/16 | 2004 x 1176 x 99.6 / 78.9 57/64 x 46 19/64 x 3 59/6 |
| Veight | 36.5kg / 80lb 7.4oz | 49kg / 108lb | 57.8kg / 127lb 6.8oz | 73.7kg / 162lb 8oz |
| - | 400 × 400 / | 600 x 400 / | 800 x 400 / | 800 x 600 / |
| /ESA (mm / ") | 15 3/4 x 15 3/4 | 23 5/8 x 15 3/4 | 31 1/2 x 15 3/4 | 31 1/2 x 23 5/8 |
| Android Capabilities | | | | |
| Remote Management (MDM) | 5 Year | 5 Year | 5 Year | 5 Year |
| nstant Updates (OTA) | ✓ | 1 | ✓ | ✓ |
| System Version | LUX 7 (powered by Android 7.1 N | Jougat) | | |
| PU | | 72 and Quad-core ARM Cortex-A53 | | |
| | | | 1000- | 1000- |
| android Resolution | 1080p | 1080p | 1080p | 1080p |
| SPU | Mali-T860 | Mali-T860 | Mali-T860 | Mali-T860 |
| AM | 4G | 4G | 4G | 4G |
| ROM | 16GB | 16GB | 16GB | 16GB |
| Vi-Fi Enabled | / | ✓ | ✓ | ✓ |
| pps and Android Features | | | | |
| Vhiteboard App | 1 | √ | √ | √ |
| mail Out | ✓ | √ | √ | √ |
| leverstore | √ | <i>'</i> | √ | ✓ ✓ |
| | | | | |
| Lynx App | √ | ✓ | √ | ✓ |
| ynx Pro | X | Х | Х | Х |
| Clever Message – 24/7 Dynamic | / | ✓ | ✓ | ✓ |
| Messaging Service NEW | | | √ | |
| Oual pen mode NEW | / | √ | | ✓ . |
| levershare 2 App NEW | ✓ | ✓ | ✓ | ✓ |
| oftware | | , | | |
| ynx | ✓ | ✓ | ✓ | ✓ |
| nowflake | ✓ | ✓ | ✓ | ✓ |
| DisplayNote | ✓ | ✓ | ✓ | ✓ |
| lontage | × | Х | × | Х |
| ynxPro Meeting | Х | × | × | × |
| tage | X | X | X | Х |
| | ^ | ^ | ^ | ^ |
| CCESSORIES | , | ~ | , | |
| 5 PC Module included (1541041) | Х | X | Х | Х |
| JSB Camera Ability | ✓ | ✓ | ✓ | ✓ |
| | 2 | 2 | 2 | 2 |
| Vriting Pen or Stylus | | | ✓ | ✓ |
| | ✓ | ✓ | v | |
| 'GA, Audio Cables | ✓ ✓ | √ √ | √ | |
| /GA, Audio Cables HDMI, USB Cables | ✓ | ✓ | ✓ | ✓ |
| Writing Pen or Stylus /GA, Audio Cables HDMI, USB Cables Clevershare 1541052 Smart Personalised Profile Account | | | | |


55"



65"



75"



86"

